


## LOW BACK DISABILITY QUESTIONNAIRE (REVISED OSWESTRY)

This questionnaire has been designed to give the doctor information as to how your back pain has affected your ability to manage in everyday life. Please answer every section and mark in each section only ONE box which applies to you. We realize you may consider that two of the statements in any one section relate to you, but please just mark the box which MOST CLOSELY describes your problem.

Print Name:	Signature:	Date:
living disability.  (Score x 2) / ( Sections x 10) =	%ADL	Reference: Fairbank, Physiotherapy 1981; 66(8): 271-3, Hudson-Cook. In Roland, Jenner (eds.), Back Pain New Approaches To Rehabilitation & Education. Manchester Univ Press, Manchester 1989: 187-204
Scoring: Questions are scored on a vertical scale of 0-5. T and multiply by 2. Divide by number of sections answered 10. A score of 22% or more is considered significant activi	multiplied by	Comments
☐ Pain prevents me from sitting almost all the time.		<ul> <li>□ My pain is neither getting better nor worse.</li> <li>□ My pain is gradually worsening.</li> <li>□ My pain is rapidly worsening.</li> </ul>
☐ Pain prevents me from sitting more than 30 minu ☐ Pain prevents me from sitting more than 10 minu	tes.	at the present.  ☐ My pain is neither getting better nor worse.
☐ Pain prevents me from sitting more than one hou ☐ Pain prevents me from sitting more than 30 minu	r.	☐ My pain seems to be getting better but improvement is slow
☐ I can only sit in my favorite chair as long as I like		☐ My pain fluctuates but overall is definitely getting better.
☐ I can sit in any chair as long as I like		☐ My pain is rapidly getting better.
Section 5 Sitting		Section 10 – Changing Degree of Pain
☐ I can only walk using a stick or crutches. ☐ I am in bed most of the time and have to crawl to	the toilet	□ Pain prevents me from traveling except to the doctor or hospital.
☐ Pain prevents me from walking more than one-qu	uarter mile	minutes.
□ Pain prevents me from walking more than one-ha	alf mile.	☐ Pain is bad but I manage journeys less than 1 hour. ☐ Pain restricts me to short necessary journeys under 30
☐ Pain does not prevent me from walking any dista☐ Pain prevents me from walking more than one m	ince.	☐ Pain is bad but I manage journeys over 2 hours.
		☐ I can travel anywhere but it gives me extra pain.
Section 4 - Walking		☐ I can travel anywhere without extra pain.
☐ I cannot lift or carry anything at all.		Section 9 – Traveling
positioned.  ☐ I can lift very light weights.	1 10 10 10 10 10 10 10 10 10 10 10 10 10	☐ I have no social life because of pain.
manage light to medium weights if they are conve	eniently	often. □ Pain has restricted my social life to my home.
example on a table.  ☐ Pain prevents me from lifting heavy weights, but	Lean	☐ Pain has restricted my social life and I do not go out as
can manage if they are conveniently positioned	, for	limiting my more energetic interests, e.g. dancing.
☐ I can lift heavy weights but it gives extra pain. ☐ Pain prevents me from lifting heavy weights off to	he floor, but	<ul> <li>☐ My social life is normal but increases the degree of pain.</li> <li>☐ Pain has no significant effect on my social life apart from</li> </ul>
☐ I can lift heavy weights without extra pain.		$\hfill\square$ My social life is normal and gives me no extra pain.
Section 3 – Lifting		Section 8 – Social Life
<sup>28</sup> 2	ay in bed.	☐ Pain prevents me from sleeping at all.
☐ I need help every day in most aspects of self car ☐ I do not get dressed, I wash with difficulty and st	e.	☐ Even when I take tablets I have less than 2 hours sleep.
☐ I need some help but manage most of my perso.	nal care.	<ul> <li>□ Even when I take tablets I have less than 6 hours sleep.</li> <li>□ Even when I take tablets I have less than 4 hours sleep.</li> </ul>
☐ I can look after myself normally but it causes ext☐ It is painful to look after myself and I am slow an	ra pain.	☐ I can sleep well only by using tablets.
☐ I can look after myself normally without causing	extra pain.	☐ Pain does not prevent me from sleeping well.
Section 2 Personal Care (Washing, Dress	sing, etc.)	Section 7 Sleeping
☐ Painkillers have no effect on the pain and I do no	ot use them.	☐ Pain prevents me from standing at all.
☐ Painkillers give very little relief from pain.	•	<ul> <li>□ Pain prevents me from standing more than 30 minutes.</li> <li>□ Pain prevents me from standing more than 10 minutes.</li> </ul>
☐ Painkillers give complete relief from pain. ☐ Painkillers give moderate relief from pain.		□ Pain prevents me from standing more than 1 hour.
☐ The pain is bad but I can manage without taking		<ul> <li>□ I can stand as long as I want without extra pain.</li> <li>□ I can stand as long as I want but it gives extra pain.</li> </ul>
☐ I can tolerate the pain without having to use pair	akillara	Elementario Instituti di Statuti
Section 1 - Pain Intensity		Section 6 - Standing



## **NECK DISABILITY INDEX**

This questionnaire has been designed to give the doctor information as to how your neck pain has affected your ability to manage in everyday life. Please answer every section and mark in each section only ONE box which applies to you. We realize you may consider that two of the statements in any one section relate to you, but please just mark the box which MOST CLOSELY describes your problem.

Section 1 - Pain Intensity	Section 6 – Concentration
<ul> <li>☐ I have no pain at the moment.</li> <li>☐ The pain is very mild at the moment.</li> <li>☐ The pain is moderate at the moment.</li> <li>☐ The pain is fairly severe at the moment.</li> <li>☐ The pain is very severe at the moment.</li> <li>☐ The pain is the worst imaginable at the moment.</li> </ul>	☐ I can concentrate fully when I want to with no difficulty. ☐ I can concentrate fully when I want to with slight difficulty. ☐ I have a fair degree of difficulty in concentrating when I want to. ☐ I have a lot of difficulty in concentrating when I want to. ☐ I have a great deal of difficulty in concentrating when I want to. ☐ I cannot concentrate at all.
Section 2 Personal Care (Washing, Dressing, etc.)	Section 7—Work
☐ I can look after myself normally without causing extra pain. ☐ I can look after myself normally but it causes extra pain. ☐ It is painful to look after myself and I am slow and careful. ☐ I need some help but manage most of my personal care. ☐ I need help every day in most aspects of self care. ☐ I do not get dressed, I wash with difficulty and stay in bed.	☐ I can do as much work as I want to. ☐ I can only do my usual work, but no more. ☐ I can do most of my usual work, but no more. ☐ I cannot do my usual work. ☐ I can hardly do any work at all. ☐ I can't do any work at all.
Section 3 – Lifting	Section 8 – Driving
□ I can lift heavy weights without extra pain. □ I can lift heavy weights but it gives extra pain. □ Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned, for example on a table. □ Pain prevents me from lifting heavy weights, but I can manage light to medium weights if they are conveniently positioned. □ I can lift very light weights. □ I cannot lift or carry anything at all.	<ul> <li>☐ I drive my car without any neck pain.</li> <li>☐ I can drive my car as long as I want with slight pain in my neck.</li> <li>☐ I can drive my car as long as I want with moderate pain in my neck.</li> <li>☐ I can't drive my car as long as I want because of moderate pain in my neck.</li> <li>☐ I can hardly drive my car at all because of severe pain in my neck.</li> <li>☐ I can't drive my car at all.</li> </ul>
Section 4 – Reading	Section 9 – Sleeping
<ul> <li>☐ I can read as much as I want to with no pain in my neck.</li> <li>☐ I can read as much as I want to with slight pain in my neck.</li> <li>☐ I can read as much as I want with moderate pain.</li> <li>☐ I can't read as much as I want because of moderate pain in my neck.</li> <li>☐ I can hardly read at all because of severe pain in my neck.</li> <li>☐ I cannot read at all.</li> </ul>	<ul> <li>☐ I have no trouble sleeping.</li> <li>☐ My sleep is slightly disturbed (less than 1 hr. sleepless).</li> <li>☐ My sleep is moderately disturbed (1-2 hrs. sleepless).</li> <li>☐ My sleep is moderately disturbed (2-3 hrs. sleepless).</li> <li>☐ My sleep is greatly disturbed (3-4 hrs. sleepless).</li> <li>☐ My sleep is completely disturbed (5-7 hrs. sleepless).</li> </ul> Section 10 - Recreation
Section 5-Headaches	☐ I am able to engage in all my recreation activities with no neck
☐ I have no headaches at all. ☐ I have slight headaches which come infrequently. ☐ I have slight headaches which come frequently. ☐ I have moderate headaches which come infrequently. ☐ I have severe headaches which come frequently. ☐ I have headaches almost all the time.	pain at all.  ☐ I am able to engage in all my recreation activities, with some pain in my neck.  ☐ I am able to engage in most, but not all of my usual recreation activities because of pain in my neck.  ☐ I am able to engage in a few of my usual recreation activities because of pain in my neck.  ☐ I can hardly do any recreation activities because of pain in my
Scoring: Questions are scored on a vertical scale of 0-5. Total scores and multiply by 2. Divide by number of sections answered multiplied by 10. A score of 22% or more is considered a significant activities of daily living disability.	neck.  I can't do any recreation activities at all.  Comments
(Score x 2) / (Sections x 10) = %ADL	Reference: Vernon, Mior. JMPT 1991; 14(7): 409-15
Print Name:Signature	:Date: